

 nuova
SIMONELLI[®]
espresso coffee machines

Victoria Arduino



2021

ALL PRODUCT CATALOG

www.simonelliusa.com



Standard color **Black** ■

DEDICATA A SUITABLE FOR

- OFFICE BUILDINGS
- RESTAURANTS
- LOCATIONS PULLING DOUBLE SHOTS

SCHEMA TECNICA TECHNICAL DATA

GROUPS/ MODELS	2 GRINDERS
COLORS	■
DIMENSIONS [WxDxH] (inch)	12 7/8" x 20 7/16" x 23 9/16"
HOURLY PRODUCTIVITY	140 espressos / 70 cappuccinos
GRINDERS (mm)	50
NET WEIGHT (lb)	73
BOILER (lt)	Steam 1.5 / Coffee 0.8
VOLTAGE (Volt)	208-240
POWER (Watt)	2800

VANTAGGI ADVANTAGES

- **THE RIGHT ANSWER**
A compact, top-of-the-line professional machine that is easy to use, with cutting-edge technology.
- **LONG LASTING RELIABILITY**
With a reliable machine, you can relax because you already know your customers will be savoring excellent cups of coffee.
- **1-STEP VS 2-STEP**
The ProntoBar America is offered in two versions. In the 1-Step version, the machine pulls milk from an attached cooler, steams the milk internally, and dispenses both the espresso and steamed milk. In the 2-Step version, the barista steams the milk with the help of an automatic steamwand.
- **ECO ENERGY TECHNOLOGY**
The ProntoBar America will surprise you with its energy efficiency as well. The standby function reduces the amount of electricity used when not brewing.



Standard color **Black** ■

DEDICATA A SUITABLE FOR

- OFFICE BUILDINGS
- RESTAURANTS
- LOCATIONS PULLING DOUBLE SHOTS

SCHEMA TECNICA TECHNICAL DATA

GROUPS/ MODELS	2 GRINDERS
COLORS	■
DIMENSIONS [WxDxH] (inch)	12 13/16" x 20 7/16" x 24 1/2"
HOURLY PRODUCTIVITY	140 espressos / 70 cappuccinos
GRINDERS (mm)	50
NET WEIGHT (lb)	88
BOILER (lt)	Steam 1.5 / Coffee 0.8
VOLTAGE (Volt)	208-240
POWER (Watt)	2800

VANTAGGI ADVANTAGES

- **TOUCH**
The ProntoBar America features a 7" touch screen display, allowing access to an extensive menu of up to 20 beverages.
- **1-STEP VS 2-STEP**
The ProntoBar America is offered in two versions. In the 1-Step version, the machine pulls milk from an attached cooler, steams the milk internally, and dispenses both the espresso and steamed milk. In the 2-Step version, the barista steams the milk with the help of an automatic steamwand.
- **PERFECT FOAM**
Easy Cream is standard on the ProntoBar Touch. This technology allows the barista to quickly and automatically obtain a dense and velvety milk cream. Temperature and cream density can be programmed and assigned to dedicated buttons.
- **QUIETER AND MORE PROFESSIONAL**
The ProntoBar Touch has become more professional with technical components that make it even more accurate and silent. The new group, made entirely of metal, and the new pump ensure high qualitative and quantitative performance, making the ProntoBar Touch a technologically advanced machine with long term reliability.



Standard color **Black** ■

VANTAGGI ADVANTAGES

- **QUIET**
The Talento's quiet operation is a mark of its superb technology and is achieved through precise construction and the use of the highest quality components and materials.
- **STRONG**
The Talento was designed in order to be efficient and able to handle high volume use without problems. The solid brewing group made of stainless-steel and aluminum, the two boilers, and the stainless-steel framework are a couple features that allow the Talento to withstand heavy use without any problems.
- **FLEXIBILITY**
The Talento is efficient, practical, and easy to use, fitting in any type of location.
- **SPEED**
The Talento can make up to 240 espressos or 190 cappuccinos per hour.

DEDICATA A SUITABLE FOR

- LOCATIONS WITH HIGH EMPLOYEE TURNOVER
- LOCATIONS PULLING DOUBLE OR TRIPLE SHOTS
- RESTUARANTS, HOTELS, CASINOS

SCHEDA TECNICA TECHNICAL DATA

GROUPS/ MODELS	2 GRINDERS
COLORS	■
DIMENSIONS [WxDxH] (inch)	15 3/4" x 23 15/16" x 33 1/4"
HOURLY PRODUCTIVITY	240 espressos / 190 cappuccinos
GRINDERS (mm)	63.5
NET WEIGHT (lb)	144
BOILER (lt)	Steam 2.5 / Coffee 1.5
VOLTAGE (Volt)	208-240
POWER (Watt)	5400

FILTRATION



Water Line Adapter
Nuovart005



DEDICATA A SUITABLE FOR

- PRE-EXISTING WATER HARDNESS UNDER 25 GRAINS PER GALLON
- ALL NUOVA SIMONELLI & VICTORIA ARDUINO MODELS
- REDUCING HARDNESS, CHLORINE, TASTE & ODOR

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS	SMALL	STANDARD
PART NUMBER	NUOVART014	NUOVART006
DIMENSIONS [WxDxH] (inch)	2 3/8" x 4" x 19 15/16"	2 3/8" x 4" x 22 7/16"
GRAINS	1100	4350
PRE-EXISTING 5 GRAINS/GALLON	17,600 4oz drinks	69,600 4oz drinks
PRE-EXISTING 10 GRAINS/GALLON	5,029 4oz drinks	19,886 4oz drinks
PRE-EXISTING 15 GRAINS/GALLON	2,933 4oz drinks	11,600 4oz drinks
PRE-EXISTING 20 GRAINS/GALLON	2,070 4oz drinks	8,188 4oz drinks
PRE-EXISTING 25 GRAINS/GALLON	1,400 4oz drinks	6,327 4oz drinks

AURELIA WAVE SEMI



Standard color **Black** ■

VANTAGGI ADVANTAGES

- ENERGY SAVINGS**
 The Aurelia Wave saves energy at every turn. Using patented Drytex thermal insulation, the Aurelia Wave's boiler now uses 27% less energy while in standby. A Life Cycle Assessment Analysis (LCA) demonstrated an annual savings of 900Kw.
- ERGONOMICS**
 The original Aurelia was the first machine in the world with an ergonomic certification. The Aurelia Wave takes that certification to a whole new level.
- COOL TOUCH STEAM WANDS**
 Double walled steam wands prevent scolding and ensure easy cleaning by reducing the formation of milk buildup.
- AUTOMATIC CLEANING**
 Back-flushing at the push of a button.
- HOT WATER TEMPERATURE CONTROL**
 With three programmable settings, choose the temperatures and volumes best suited to your menu.
- PERFECT BREWING**
 The Soft Infusion System guarantees a soft and creamy espresso shot.

DEDICATA A SUITABLE FOR

- LOCATIONS PULLING INTO SHOT GLASSES
- BARISTA COMPETITORS
- MEDIUM OR HIGH QUALITY SHOPS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
COLORS		■ □ ■	■ □ ■
DIMENSIONS (inch)	W	31 9/16"	40 5/8"
	D	23 13/16"	23 13/16"
	H	21 1/8"	21 1/8"
WEIGHT (lb)		185	225
BOILER (lt)		14	17
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		4700	5400

AURELIA WAVE VOL



Standard color **Black** ■

VANTAGGI ADVANTAGES

- TFT DISPLAY**
 The TFT display enables the barista to easily monitor the machine's different parameters in real time. View shot timers or use buttons to access drink counters, program doses, or set maintenance alarms.
- PROGRAMMABLE**
 The Aurelia Wave has 4 programmable options per group head, freeing up the barista and saving time.
- AUTOMATIC STEAM**
 Optional steam upgrades are available on this model. Upgrade to Autosteam for steam wands that always shut off at the same temperature. Upgrade to Easy Cream for programmable temperature and airflow, ensuring microfoam for your lattes and macrofoam for your cappuccinos.

DEDICATA A SUITABLE FOR

- HIGH QUALITY CAFES
- HIGH VOLUME LOCATIONS
- LOCATIONS DISPENSING DIRECTLY INTO CUPS
- HYBRID SOLUTIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
COLORS		■ □ ■	■ □ ■
DIMENSIONS (inch)	W	31 9/16"	40 5/8"
	D	23 13/16"	23 13/16"
	H	21 1/8"	21 1/8"
WEIGHT (lb)		185	225
BOILER (lt)		14	17
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		4700	5400

AURELIA WAVE DIGIT

VANTAGGI ADVANTAGES



Standard color

Black ■

- AUTO-PURGE**
 Manually purging between shots is essential for cleaning the shower screen and replicating high quality extractions. The Aurelia Wave Digit is the first machine to perform this function automatically, every time the portafilter is removed after dosing.
- TOUCH SCREEN**
 With a 4.3" touch screen, every operation is simple and intuitive. Utilize the touch screen to program doses, view shot counters, and enter energy saving mode.
- AUTOMATIC STEAM**
 Optional steam upgrades are available on this model. Upgrade to Autosteam for steam wands that always shut off at the same temperature. Upgrade to Easy Cream for programmable temperature and airflow, ensuring microfoam for your lattes and macrofoam for your cappuccinos.

DEDICATA A SUITABLE FOR

- HIGH QUALITY CAFES
- HIGH VOLUME LOCATIONS
- LOCATIONS DISPENSING DIRECTLY INTO CUPS
- HYBRID SOLUTIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
COLORS		■ □ ■	■ □ ■
DIMENSIONS (inch)	W	31 9/16"	40 5/8"
	D	21 13/16"	21 13/16"
	H	21 1/8"	21 1/8"
WEIGHT (lb)		185	225
BOILER (lt)		14	17
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		4700	5400

AURELIA WAVE T3

VANTAGGI ADVANTAGES



Standard color

Black ■

- T3 TECHNOLOGY**
 With this innovative technology the Aurelia Wave T3 sets new standards in water supply temperature accuracy. T3 technology is based on the three-dimensional control of brewing temperature, allowing the barista maximum flexibility in setting 3 different parameters for each brewing group. The system's accuracy guarantees the highest level of performance.
- PULSE-JET**
 This patented technology optimizes the flow rate and water pressure during the dispensing phase. This allows the barista to explore extraction profiles that were never tried before. Use the preset extraction profiles or create your own to unlock a new world of flavor.
- GROUP DISPLAY**
 The Aurelia Wave T3 features shot timers above each group head. This feature is particularly helpful when multiple baristas operate the machine simultaneously.
- AUTOMATIC STEAM**
 Optional steam upgrades are available on this model. Upgrade to Autosteam for steam wands that always shut off at the same temperature. Upgrade to Easy Cream for programmable temperature and airflow, ensuring microfoam for your lattes and macrofoam for your cappuccinos.

DEDICATA A SUITABLE FOR

- SPECIALTY CAFES
- HIGH VOLUME LOCATIONS
- CAFES OFFERING MULTIPLE ESPRESSO OPTIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
SPECIAL COLORS		■ □ ■	■ □ ■
DIMENSIONS (inch)	W	31 9/16"	40 5/8"
	D	21 13/16"	21 13/16"
	H	21 1/8"	21 1/8"
WEIGHT (lb)		190	230
BOILER (lt)		14	17
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		6600	8250



Standard color **Black** ■

PLUS DI PRODOTTO *PRODUCT PLUS*

- PERFECT BREWING**
 The SIS (Soft Infusion System) guarantees a soft and creamy espresso shot.
- ENERGY SAVINGS**
 The boiler of the Appia Life uses Drytex Thermal technology which reduces 13% of energy consumption. Combined with more sustainable materials, the Appia Life has a 20% less environmental impact than its predecessor, the Appia II.
- EASY MAINTENANCE**
 The Appia Life has been designed to be more efficient when it comes to maintenance. The complete new style of the machine facilitates the user in any operational routine. Its new adjustable nozzle attachment, new side opening system, and redesigned groups, are all features that allow it to be more efficient.
- COLOR OPTIONS**
 The Appia Life comes equipped with black side panels and a black base. These side panels can be changed to red or white, but the base will remain black.

DEDICATA A *SUITABLE FOR*

- LOCATIONS PULLING INTO SHOT GLASSES
- BARISTA COMPETITORS
- MEDIUM OR HIGH QUALITY SHOPS

SCHEDA TECNICA *TECHNICAL DATA*

GROUPS/MODEL		1 GR	2 GR COMPACT	2 GR FULL SIZE
COLORS		■ □ ■	■ □ ■	■ □ ■
DIMENSIONS (inch)	W	16"	22"	31"
	D	21"	21"	21"
	H	20"	20"	20"
WEIGHT (lb)		105	130	160
STEAM WANDS		1	2	2
VOLTAGE (Volt)		110	208-240	208-240
POWER (Watt)		1500	3000	3350



Standard color **Black** ■

VANTAGGI *ADVANTAGES*

- PROGRAMMABLE**
 The Appia Life has 4 programmable options per group head, freeing up the barista and saving time.
- AUTOSTEAM**
 Autosteam wands are available on all Volumetric versions of the Appia Life, ensuring your steam wand shuts off at the desired temperature.
- VERSATILE**
 The Appia Life Compact is available in either 110v or 220v allowing it to fit any location.
- PUSH BUTTON PANEL**
 The push-button panel has been redesigned to be more user friendly and more resistant to wear and tear.
- COLOR OPTIONS**
 The Appia Life comes equipped with black side panels and a black base. These side panels can be changed to red or white, but the base will remain black. The 2 Group Volumetric Full Size is available in solid white.

SCHEDA TECNICA *TECHNICAL DATA*

VERSIONS		1 GR	2 GR COMPACT	2 GR FULL SIZE	3 GR
COLORS		■ ■ □	■ ■ □	■ ■ □	■ ■ □
DIMENSIONS (inch)	W	16"	22"	31"	40"
	D	21"	21"	21"	21"
	H	20"	20"	20"	20"
WEIGHT (lb)		105	130	160	195
STEAM WANDS		1	2	2	2
VOLTAGE (Volt)		110	110 or 220	208-240	208-240
POWER (Watt)		1500	3000	3350	5000



Standard color

Black ■

VANTAGGI ADVANTAGES

- LCD DISPLAY**
 The new XT version completes the Appia Life family. The 1.5" display features dose programming, cleaning, counters, shot timers, and pressure sensors.
- LED GROUP HEAD LIGHTS**
 LED lights under the group head shine into tall glasses and bounce off the reverse mirror to create a wide range of sight for any barista.
- AUTOSTEAM**
 Autosteam wands are available on all Volumetric versions of the Appia Life, ensuring your steam wand shuts off at the desired temperature.
- COLOR OPTIONS**
 The Appia Life comes equipped with black side panels and a black base. These side panels can be changed to red or white, but the base will remain black.

DEDICATA A SUITABLE FOR

- DRIVE-THRU LOCATIONS
- LOCATIONS DISPENSING DIRECTLY INTO CUPS
- MEDIUM OR HIGH QUALITY SHOPS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR
COLORS		■ □ ■
DIMENSIONS (inch)	W	31"
	D	21"
	H	20"
WEIGHT (lb)		160
BOILER (lt)		11
VOLTAGE (Volt)		208-240
POWER (Watt)		3350

Notes



Standard color

Black ■
LUX ■

VANTAGGI ADVANTAGES

- COMPACT**
 With a height under 16 inches and a width under 11 inches, the Musica is able to work in both home and office settings.
- PROFESSIONAL**
 The Musica enables the production of espressos or cappuccinos just like in a café. The automatic dosing, thermo-compensated group and steaming system are derived from larger, professional machines.
- SAFE**
 The ergonomic, professional portafilters and push-pull steaming system protect the operator against repetitive stress injuries.
- VERSATILE**
 Available with a direct water line connection or a 3 liter reservoir to brew quality espresso anywhere.

DEDICATA A SUITABLE FOR

- HOMES
- OFFICES
- SMALL COFFEE LOCATIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS/ MODELS	1 GR POUR OVER / 1 GR DIRECT CONNECT
LUX VERSION	White Light ■ LED
DIMENSIONS [WxDxH] (inch)	10 5/8" x 16 15/16" x 15 3/4"
STEAM WAND	Jointed 360°
WATER SUPPLY (lt)	3 (Pour Over)
WEIGHT (lb)	43
BOILER (lt)	2
VOLTAGE (Volt)	110
POWER (Watt)	1200



Standard color ■ Black ■

VANTAGGI ADVANTAGES

- COMPACT**
 At 16 inches tall, the Oscar II is able to work in both a home and office setting.
- PERFECT BREWING**
 The brewing unit is thermo-compensated giving consistent and quality extractions.
- PROFESSIONAL**
 Oscar II is a high performance machine due to professional components like the filter holder, the thermo-compensated group and the high productivity steam wand.
- NEW MATERIAL, NEW DESIGN**
 The redesigned body makes servicing the Oscar II a breeze.
- COLOR OPTIONS**
 The Oscar II features a black trim on both the Pour Over and Direct Connect versions. This trim can be switched to red on the Pour Over unit.

DEDICATA A SUITABLE FOR

- HOMES
- OFFICES
- SMALL COFFEE LOCATIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS/ MODELS	1 GR POUR OVER / 1 GR DIRECT CONNECT
SPECIAL COLORS	■ ■
DIMENSIONS [WxDxH] (inch)	11 13/16" x 15 3/4" x 16 1/16"
STEAM WAND	Jointed
WATER SUPPLY (lt)	3 (Pour Over)
NET WEIGHT (lb)	28
BOILER (lt)	2
VOLTAGE (Volt)	110
POWER (Watt)	1200

VANTAGGI ADVANTAGES

- **MICROMETRIC**
Micrometrical grinding adjustment
- **PROFESSIONAL**
Nuova Simonelli grinders guarantee the correct grinding for an excellent espresso.
- **TECHNOLOGICAL**
Nuova Simonelli grinders are reliable, safe and ensure the perfect grind.
- **PRECISE**
All models allow an excellent and stable over the time grinding.
- **AUTOMATIC CHAMBER FILLING**
The MDXS and MDJ are available with automatic chamber filling, known as the MDXSA and MDJA.
- **RECOMMENDED APPLICATIONS**
MCF: Home or office.
MCD: Bulk grinding of drip coffee.
MDXS: Medium volume cafes.
MDJ: High volume cafes.



MCF



MCD



MDXS



MDJ

VERSIONS		MCF	MCD	MDXS	MDJ
COLORS		■	■	■	■
DIMENSIONS (inch)	W	4"	8"	7 1/2"	8 7/16"
	D	8"	11"	14 3/16"	13 3/4"
	H	13"	8"	23 1/4"	23 13/16"
WEIGHT (lb)		13	40	24	35
BURRS (mm)		50	65	65	75
VOLTAGE (Volt)		110	110	110	110

ON DEMAND GRINDERS

VANTAGGI ADVANTAGES

- **GRIND BY TIME**
On Demand grinders are programmable by time.
- **MICROMETRIC**
Micrometrical grinding adjustment.
- **PROFESSIONAL**
Nuova Simonelli grinders guarantee the correct grinding for an excellent espresso.
- **TECHNOLOGICAL**
Nuova Simonelli grinders are reliable, safe and ensure the perfect grind.
- **RECOMMENDED APPLICATIONS**
Grinta: Home or office
MDH: Home or office
G60: Decaf or single origin
MDXS on Demand: Medium volume cafes
MDJ on Demand: High volume cafes



GRINTA



MDH



G60



MDXS on Demand



MDJ on Demand

SCHEDA TECNICA TECHNICAL DATA

VERSIONS		GRINTA	MDH	G60	MDXS ON DEMAND	MDJ ON DEMAND
COLORS		■	■	■	■	■
DIMENSIONS (inch)	W	5 1/2"	6"	6 1/2"	8 1/2"	8 7/16"
	D	8 1/4"	9"	10 1/2"	11 1/2"	11 7/16"
	H	16 9/16"	16"	16"	24"	23 13/16"
WEIGHT (lb)		4.2	17	25	30	33
BURRS (mm)		50	50	60	65	75
VOLTAGE (Volt)		110	110	110	110	110
POWER (Watt)		220	260	220	500	750



MYTHOS BASIC



MYTHOS PLUS



MYTHOS CLIMA PRO

PLUS DI PRODOTTO *PRODUCT PLUS*

- PRECISE, FAST, AND RELIABLE**
 Due to the micrometric adjustment, the Mythos family is ideal for those locations that want to serve their customers the best espresso possible.
- INTELLIGENT**
 The Mythos lineup utilizes numerous electronic functions to make grinding easier, such as a delayed time setting and the ability to top off doses.
- DYNAMOMETRIC TAMPER**
 The Mythos Plus features a built-in tamper that is adjustable and ensures a consistent tamping pressure.
- UNIQUE**
 The Mythos can be programmed to grind and dispense three different doses.
- HIGH PRODUCTION**
 The Mythos lineup can grind up to 40 pounds per hour.
- STAINLESS STEEL VS TITANIUM**
 The Mythos Basic features stainless steel burrs which have a life expectancy of 1500 pounds. The Mythos Plus and Clima Pro feature titanium coated burrs which have a life expectancy of 3500 pounds.

DEDICATA A *SUITABLE FOR*

- HIGH VOLUME LOCATIONS
- SHOPS THAT DEMAND CONSISTENCY
- LOCATIONS WITH HIGH EMPLOYEE TURNOVER

SCHEDA TECNICA *TECHNICAL DATA*

VERSIONS	MYTHOS BASIC	MYTHOS PLUS	MYTHOS CLIMA PRO
COLORS	■	■	■
DIMENSIONS (inch)			
W	7 3/8"	7 3/8"	7 3/8"
D	19 9/16"	19 9/16"	15 3/4"
H	23 7/16"	23 7/16"	20 1/16"
WEIGHT (lb)	44	44	51
BURRS (mm)	75	75	75
VOLTAGE (Volt)	110	110	110
POWER (Watt)	950	950	950

MYTHOS II



MYTHOS II PURE



MYTHOS II PREMIUM



MYTHOS II GRAVIMETRIC

VANTAGGI *ADVANTAGES*

- MICROMETRIC**
 Micrometrical grinding adjustment.
- TITANIUM FLAT BURRS**
 The Mythos II lineup features 85mm flat burrs that have been coated in titanium nitrate to reduce wear & tear. These burrs are rated for up to 4500 pounds.
- TOUCH SCREEN**
 New to the Mythos lineup is the touch screen display. This allows for three programmable options per coffee and up to six coffees to be saved at a time.
- DOSE BY WEIGHT**
 The new Mythos II Gravimetric is leading the way in dose by weight technology. Gone are the days of moving the portafilter to a scale before extraction, it's now built-in.
- VARIABLE SPEED**
 The Premium and Gravimetric versions both come equipped with variable speed motors allowing the barista to change the RPMs from 600 to 1200. This change can be for the full duration or used as a ramp down to prevent overflowing of the coffee grounds.

SCHEDA TECNICA *TECHNICAL DATA*

VERSIONS	MYTHOS II PURE	MYTHOS II PREMIUM	MYTHOS II GRAV
COLORS	■	■	■ □
DIMENSIONS (inch)			
W	8"	8"	8"
D	17"	17"	17"
H	32"	32"	32"
WEIGHT (lb)	53	53	53
BURRS (mm)	85	85	85
VOLTAGE (Volt)	110	110	110
POWER (Watt)	800	800	800

ATHENA LEVA



Standard color

Chrome
Copper

VANTAGGI ADVANTAGES

- HISTORY**
 Victoria Arduino marketed its first lever machine in 1946, at the end of World War II. Made with modern technology, the Athena Leva replicates the historic look of those first lever machines.
- HANDCRAFTED**
 The bodywork, completely hammered by hand, is an expression of uniqueness and tradition.
- REFINED TECHNOLOGY**
 Most lever machines pull water straight from the boiler at a pressure of 1-1.2 bars. The Athena Leva utilizes heat exchangers which allow for pre-infusion and a pressure of 4-6 bars.

DEDICATA A SUITABLE FOR

- LOCATIONS WANTING A VINTAGE ATMOSPHERE
- SHOPS PROMOTING HANDCRAFTED OR ARTISAN COFFEE
- MEDIUM TO HIGH VOLUME LOCATIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
SPECIAL COLORS		<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
DIMENSIONS (inch)	W	26"	34"
	D	22"	22"
	H	28"	28"
WEIGHT (lb)		150	185
BOILER (lt)		15.2	22.8
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		3000	5000

ADONIS



Standard color **Stainless Steel**

VANTAGGI ADVANTAGES

- PROGRAMMABLE**
 The Adonis has 4 programmable options per group head, freeing up the barista and saving time.
- AUTOSTEAM**
 Autosteam wands are available on the Adonis, ensuring your steam wand shuts off at the desired temperature.
- TFT DISPLAY**
 The display features dose programming, cleaning, counters, shot timers, and pressure sensors.
- AUTOMATIC CLEANING**
 Back-flushing at the push of a button.
- PERFECT BREWING**
 The Soft Infusion System guarantees a soft and creamy espresso shot.
- COLOR OPTIONS**
 The Adonis comes equipped with Stainless Steel side & back panels. These can be powder coated any color.

DEDICATA A SUITABLE FOR

- HIGH QUALITY COFFEE SHOPS
- HIGH VOLUME LOCATIONS
- ARTISTIC CAFES

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
COLORS		<input type="checkbox"/>	<input type="checkbox"/>
DIMENSIONS (inch)	W	34"	44"
	D	23"	23"
	H	25"	25"
WEIGHT (lb)		240	285
BOILER (lt)		14	17
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		4500	5000

WHITE EAGLE LEVA



Standard color

Black ■

VANTAGGI ADVANTAGES

- NEW SCHOOL STYLE, OLD SCHOOL SOUL**
 The White Eagle Leva is a combination of our White Eagle Digit and Athena Leva. The new body achieves improved ergonomics while still allowing the barista to create a truly artisan experience for their customer.
- REFINED TECHNOLOGY**
 Most lever machines pull water straight from the boiler at a pressure of 1-1.2 bars. The White Eagle Leva utilizes heat exchangers which allow for pre-infusion and a pressure of 4-6 bars.
- COLOR OPTIONS**
 The White Eagle Leva is equipped with aluminum side and back panels, making it a great candidate for powder coating custom colors.

DEDICATA A SUITABLE FOR

- LOCATIONS WANTING A VINTAGE ATMOSPHERE
- SHOPS PROMOTING HANDCRAFTED OR ARTISAN COFFEE
- MEDIUM TO HIGH VOLUME LOCATIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
SPECIAL COLORS		<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
DIMENSIONS (inch)			
	W	26"	34"
	D	22"	22"
	H	28"	28"
WEIGHT (lb)		150	185
BOILER (lt)		15.2	22.8
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		3000	5000

WHITE EAGLE DIGIT



Standard color

Black ■

VANTAGGI ADVANTAGES

- PROGRAMMABLE**
 The White Eagle Digit has 4 programmable options per group head, freeing up the barista and saving time.
- AUTOSTEAM**
 Autosteam wands are available on the White Eagle Digit, ensuring your steam wand shuts off at the desired temperature.
- TFT DISPLAY**
 The display features dose programming, cleaning, counters, shot timers, and pressure sensors.
- AUTOMATIC CLEANING**
 Back-flushing at the push of a button.
- PERFECT BREWING**
 The Soft Infusion System guarantees a soft and creamy espresso shot.
- COLOR OPTIONS**
 The White Eagle Digit comes equipped with black side panels and a black base. These side panels can be changed to white, but the base will remain black.

DEDICATA A SUITABLE FOR

- HIGH QUALITY CAFES
- HIGH VOLUME LOCATIONS
- LOCATIONS DISPENSING DIRECTLY INTO CUPS
- HYBRID SOLUTIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
COLORS		<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
DIMENSIONS (inch)			
	W	34"	44"
	D	23"	23"
	H	25"	25"
WEIGHT (lb)		240	285
BOILER (lt)		14	17
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		4500	5000

EAGLE ONE



Standard color **Stainless Steel** ■

VANTAGGI ADVANTAGES

- T3 TECHNOLOGY**
 With this innovative technology the Eagle One sets new standards in water supply temperature accuracy. T3 technology is based on the three-dimensional control of brewing temperature, allowing the barista maximum flexibility in setting 3 different parameters for each brewing group. The system's accuracy guarantees the highest level of performance.
- GHOST DISPLAY**
 The Eagle One displays shot timers on each group head. When not in use, you would never know these timers existed.
- NEW ENGINE OPTIMIZATION**
 The Eagle One uses combines an instant heating system with a unique insulation mechanism. This reduces both heat dispersion and energy consumption.
- TEMPERATURE ENERGY RECOVERY SYSTEM**
 T.E.R.S. uses the discharged water to pre-heat the incoming water. This results in an 8% savings on total energy consumption.
- COLOR OPTIONS**
 The Eagle One comes in stainless steel and can be powder coated any color.

DEDICATA A SUITABLE FOR

- SPECIALTY CAFES
- HIGH VOLUME LOCATIONS
- LOCATIONS OFFERING MULTIPLE ESPRESSO OPTIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
COLORS		■	■
DIMENSIONS (inch)	W	26"	34"
	D	22"	22"
	H	28"	28"
WEIGHT (lb)		150	185
BOILER (lt)		15.2	22.8
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		3000	5000

BLACK EAGLE VOL



Standard color **Stainless Steel** ■

VANTAGGI ADVANTAGES

- T3 TECHNOLOGY**
 With this innovative technology the Black Eagle sets new standards in water supply temperature accuracy. T3 technology is based on the three-dimensional control of brewing temperature, allowing the barista maximum flexibility in setting 3 different parameters for each brewing group. The system's accuracy guarantees the highest level of performance.
- CHAMPIONSHIP MENTALITY**
 Since 2015, the Black Eagle has been the official machine of the World Barista Championship. Every 3 years, leading coffee equipment manufacturers vie for this prestigious opportunity. All equipment must meet rigorous technical standards set, and tested, by the Specialty Coffee Association. The Victoria Arduino Black Eagle has come out on top, twice!
- COLOR OPTIONS**
 The Black Eagle comes in stainless steel and can be powder coated any color.

DEDICATA A SUITABLE FOR

- SPECIALTY CAFES
- HIGH VOLUME LOCATIONS
- LOCATIONS OFFERING MULTIPLE ESPRESSO OPTIONS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
COLORS		■	■
DIMENSIONS (inch)	W	33"	43"
	D	28"	28"
	H	20"	20"
WEIGHT (lb)		235	280
BOILER (lt)		14	18
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		7100	9900

BLACK EAGLE GRAV



VANTAGGI ADVANTAGES

- T3 TECHNOLOGY**
 With this innovative technology the Black Eagle sets new standards in water supply temperature accuracy. T3 technology is based on the three-dimensional control of brewing temperature, allowing the barista maximum flexibility in setting 3 different parameters for each brewing group. The system's accuracy guarantees the highest level of performance.
- DOSE BY WEIGHT**
 The Black Eagle Gravimetric features built in scales which operate with a load cell system. With this technology, baristas can now set the weight of coffee they want in each cup.
- THE ESPRESSO BREW RATIO**
 The brew ratio is the relationship between the weight of ground coffee and the liquid in the cup. This varies for each coffee and depends on the desired profile. The Black Eagle Gravimetric can consistently replicate any brew ratio, unlocking a new world of possibilities.
- COLOR OPTIONS**
 The Black Eagle comes in stainless steel and can be powder coated any color.



Standard color **Stainless Steel**

DEDICATA A SUITABLE FOR

- SPECIALTY CAFES
- HIGH VOLUME LOCATIONS
- LOCATIONS OFFERING MULTIPLE ESPRESSO OPTIONS
- LOCATIONS THAT WEIGH THEIR SHOTS

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		2 GR	3 GR
SPECIAL COLORS		<input type="checkbox"/>	<input type="checkbox"/>
DIMENSIONS (inch)	W	26"	34"
	D	22"	22"
	H	28"	28"
WEIGHT (lb)		150	185
BOILER (lt)		15.2	22.8
VOLTAGE (Volt)		208-240	208-240
POWER (Watt)		3000	5000

THERESIA



VANTAGGI ADVANTAGES

- T3 TECHNOLOGY**
 T3 Technology, the same technology used in the World Barista Championship, allows total control of the output temperature. This ensures accuracy, extraction quality, flexibility, and duplicability.
- HIGH EFFICIENCY EXTRACTION**
 The high efficiency extraction system, now known as Soft Infusion, guarantees a soft and creamy espresso shot.
- AUTOMATIC CLEANING**
 Back-flushing at the push of a button.
- COOL TOUCH**
 The steam nozzle has patented Cool Touch which, in addition to preventing scolding, ensures easy cleaning and reduces the formation of milk buildup.



Standard color **Stainless Steel**

DEDICATA A SUITABLE FOR

- HOME
- OFFICE
- SMALL BAR OR RESTAURANT

SCHEDA TECNICA TECHNICAL DATA

GROUPS / MODELS		1 GR
COLORS		<input type="checkbox"/>
DIMENSIONS (inch)	W	18"
	D	17"
	H	18"
WEIGHT (lb)		70
BOILER (lt)		1.8
VOLTAGE (Volt)		208-240
POWER (Watt)		3000



Nuova Simonelli S.p.A.
Via M. D'Antegiano, 6
62020 Belforte del Chienti
Macerata Italy
tel. +39.0733.9501
fax +39.0733.950242
www.nuovasimonelli.it

Nuova Distribution USA
6940 Salashan PKWY BLDG A
Ferndale, WA 98248
tel. +1.360.3662226
fax +1.360.3664015

www.simonelliusa.com
info@simonelliusa.com

Victoria Arduino

